

VoIP Unified Communications

Connect 50 has been studied and created in order to be the only one in the market 100% dedicated to VoIP, not creating any dependencies on your local network and integrating with all existing voice equipment network in your company. Complemented by carefully selected and tested hardware, the Connect 50 ensures an optimal integration of voice and data. Each unit provides the necessary requirements of integration between the traditional telephony system (PSTN) and its equipment, the new requirements of VoIP services and equipment, and it is prepared to act as a simple gateway, allowing direct connection between the PBX (BRI ISDN or Analogue) and fixed and mobile operator network.



Features:

- . Up to 25 extensions
- . Up to 50 concurrent calls
- . IVR Edition
- . Recording via browser
- . Call Monitoring
- . Ring by extension groups
- . Music on-hold
- . Call Rules & Routing
- . Voicemail to email inbox
- . Extensions directory
- . Audio conference
- . Complete call report

The Perfect Solution for Micro and Small-Sized Enterprises



Designed exclusively for the Micro and Small sized enterprises, Connect 50 is the only solution in the market that has in mind environmental concerns and logistics. With its super small size (200H x 70W x 240D (mm)), passes almost unnoticed in the office. By not using any type of forced ventilation, is almost imperceptible to the ear, promoting the quality of the workplace. Consuming less than 60W, this is the first VoIP appliance created and studied to address the environmental and ecological concerns. Apart from the Ethernet connection, coming already with the base unit, Connect 50 is prepared for BRI/FXO/FXS ports integration as an add-on. Without relying in any kind of license to use, Connect 50 handles up to 50 concurrent calls, and can register up to 25 extensions. All call rules can be managed through Connect Management Suite, a simple web based application. Security has not been forgotten, and therefore is prepared to back up call logs, settings and dial plan rules at any time, without needing access to the operating system, simply by pressing a key on the front panel. Whenever you need any assistance, simply choose one of the front panel options so that our technical services can be contacted and thus access Connect 50 remotely, through secure and encrypted connections, always safeguarding the security of your corporate network. Connect 50 is indeed the best solution for companies that wish to start business and make the most of voice services with minimal investment.

Low Cost — High Performance VoIP PBX

The perfect solutions for micro and small companies

Connect Management Suite includes the following features:

- . System Status
- . Users
- . Trunks
- . Outgoing Calling Rules
- . Incoming Calling Rules
- . Dial Plans
- . Voice Menus
- . Voice Menu Prompts
- . Ring Groups
- . Time Intervals
- . Conferencing
- . Music On-Hold
- . Call Queues
- . Voicemail
- . Paging/Intercom
- . Follow Me
- . Directory
- . Call Features
- . Voicemail Groups
- . Options
- . PBX Logs
- . Configure Hardware
- . mISDN Config
- . System Info
- . Backup



Technical Specifications

Audio Concurrent Calls

- . Up to 50 concurrent calls
- . Available for IP/SS7/ISDN/GSM network*

Registrations

- . Up to 25 extensions

Audio Service (IVR)

- . IVR for virtual assistance
- . Voicemail with email notification
- . Audio Conference
- . IP Trunk

Audio Codecs

- . G.711, A-law, u-law
- . G.726
- . Speex
- . Dialogic
- . ILBC
- . G.723
- . G.729.a

Protocols

- . SIP
- . IAX

Features

- . Least Cost Routing (LCR)
- . Automatic Call Distribution (ACD)
- . Interactive Voice Recording (IVR)
- . Voicemail with Email Notification
- . IP Trunking
- . Call Transfer
- . Call Re-Route
- . Follow-me
- . Call Pickup
- . Call Parking
- . Conference Calls
- . Music for on-hold calls
- . Call Queuing Management
- . Fax 2Email and Mail2Fax
- . Complete Call Report
- and much more

Video Inputs

- . VGA connector
- . DVI connector

Audio Inputs

- . 1 RCA connector

Card Readers

- . Flash Card Reader

Front Panel

- . Keyboard for easy access
- . Mini LCD display

Network

- . 1 Port Gigabit Ethernet
- . 5 USB Ports (3 rear and 2 front)

Chassis

- . Box type
- . Dimensions: 200H x 70W x 240D (mm)

Power

- . Single cabled power supply (250W)
- . 220v

Warranty

- . 1 Year

Hardware Add-on

- . BRI Gateway Module
- . GSM External Gateway
- . FXO port
- . FXS port

* Connect 50 can include BRI gateway module as an add-on, and GSM external gateway for PSTN and GSM connections. Included with base version: 1 Ethernet port for IP connections.

